

Index

Note: Page numbers of issue and article titles are in **boldface** type.

- Accident scene management, of spinal cord-injured patients, 481-486
- Acid-base balance, effect on potassium homeostasis, 841-843
- Acid-base disorder(s), effect of, on cardiovascular function, 747-749
- metabolic, acute, **699-724**
- mixed, classification of, 703
- examples of, 707
- Acidosis(es), lactic, **725-746**
- biochemistry of, 725-730
- clinical classification of, 708
- high anion gap metabolic acidoses and, 706-710
- signs and symptoms of, 737-738
- treatment for, 738-742
- types of, 730-737
- metabolic, 699-705
- causes of, 704
- effect on potassium balance, 841-842
- effects of, 703-705
- high anion gap, 705-715
- causes of, 701
- normal anion gap, 715-718
- respiratory, effect on potassium balance, 843
- systemic, effect on heart, 747-749
- effect on peripheral vascular system, 749
- Acute anterior spinal cord injury syndrome, 661
- Acute central cervical spinal cord injury syndrome, 661
- Acute interstitial nephritis, drug-induced, 899-901
- Acute renal failure, **909-925**
- complications of, 918
- contrast-induced, 894-896
- diagnosis of, 916-918
- effect on potassium balance, 844
- energy and nitrogen requirements with, 161-162
- enteral nutrition with, practical aspects of, 162-164
- low-protein diets and reutilization of urea with, 159
- metabolic abnormalities with, 155-159
- nutrition in, **155-166**
- prognosis and treatment of, 918-919
- total parenteral nutrition in, 159-161
- Acute respiratory failure, nutrition and, 196-199
- Acute tubular necrosis, as cause of acute azotemia, 911-919
- Adrenergic agent(s), effect on internal potassium balance, 836, 839-840
- Adult respiratory distress syndrome, effects of hypoxemia and hypercapnia on, 284
- Albumin, as alternative source of amino acids following surgery, 436
- metabolism of, in stress, 348
- Aldosterone, in sodium homeostasis, 781-782
- Alkalosis, metabolic, 718-722
- differential diagnosis of, 719
- effect on potassium balance, 842-843
- manifestations of, 718-719
- therapy for, 719-722
- respiratory, effect on potassium balance, 843
- Amenorrhea, with critical illness, 865
- Aminoglycoside(s), 886-888
- Amphotericin B, 892-894
- effect on external potassium balance, 837-838
- Anesthesia, and operation, cardiovascular effects of, **251-268**
- cardiovascular effects on patients with cardiovascular disease, 257-260
- effect on renal function, **373-393**
- systemic responses to, **241-426**
- effects on cardiovascular system in patients with normal heart, 251-256

- Anesthesia (*Continued*)
 general, induction of, changes in chest wall mechanics following, 271-273
 induction and maintenance of, for acute spinal cord-injured patients, 628-631
 influence on sympathetic nervous system, 256
 inhalational, cardiovascular effects of, 252-253
 effect on respiratory drive, 295
 Anesthetic consideration(s), in acute spinal cord-injured patients, 619-635
 Angiotensin II, in sodium homeostasis, 783
 Angiotensin-converting enzyme (ACE) inhibitor(s), effect on external potassium balance, 836, 838
 Anterior cord syndrome, 681
 functional expectations of, 647
 Anterior instrumentation, for spine stabilization, 593-594
 Antibiotic(s), effect on external potassium balance, 836-838
 Aortic cross-clamping, effect on renal function, 390
 Arterial blood gas exchange, in postoperative period, 297-298
 Arterial puncture, as complication of catheterization, 122
 Artificial urinary sphincter, for incontinence resulting from neurogenic bladder dysfunction, 609-610
 Asthma, role of catecholamines in, 875-876
 Atelectasis, absorption, in perioperative period, 276
 postoperative, physiologic effect of, 300
 Atrial natriuretic peptide, effect on renal function, 384-385
 in sodium homeostasis, 782
 role of, in critical illness, 864-865
 Augmentation cystoplasty, for incontinence resulting from neurogenic bladder dysfunction, 610-611
 Autonomic dysreflexia, in neurogenic bladder dysfunction, 612
 Axial compression injuries, mechanisms of, 506-507
 Azotemia, acute, renal causes of, 911-915
 postrenal, 910-919
 causes of, 910
 prerenal, 909-910
 causes of, 910
 Baclofen, for neurogenic bladder dysfunction, 606
 Barbiturate(s), cardiovascular effects of, 253-254
 Beta-endorphins, role of, and perception of pain, study of, 367
 Bethanechol chloride, for neurogenic bladder dysfunction, 607
 Biliary tract, physiology and pathophysiology of, in critical illness, 395-398
 Blood flow, intrarenal, measurement of, 375-376
 renal, measurement of, 373-375
 Blood loss, excessive, and clotting system changes during and after major surgery, 417-427
 Blood volume status, clinical evaluation of, in shock, 334-336
 B-lymphocytes, features of, 407-408
 following surgical trauma, 412-413
 Body fluid compartments, anatomy of, 798
 Bony injuries, mechanisms of, 504-505
 Bowel dysfunction, following acute spinal cord injury, 687-688
 Brain injury(ies), intolerance of, to enteral feedings, 223
 nutrition and, 217-222
 nutritional monitoring following, 226-228
 substrate administration following, 224-226
 Brown Sequester syndrome, 488, 661, 681
 functional expectations of, 646
 Burn injury(ies), changes in metabolic rate following, 88-89
 glucose production in, 18-22
 peripheral glucose clearance in, 21-22
 Burst fracture, 573, 575
 C4 Quadriplegia, 639
 C5 Quadriplegia, 639-640
 C6 Quadriplegia, 640-642
 C7 Quadriplegia, 642-643
 Cachexia, cardiac, 175-177
 perioperative management of, 180
 Calcium, and cardiovascular function, 751-752
 Calcium channel blockers, effect on internal potassium balance, 836, 841
 Calcium metabolism, in critical illness, 927-935
 Carbohydrate metabolism, 11-24
 in acute renal failure, 158-159
 in stressed states, 6-7
 role of insulin in, 16-17
 Carbon dioxide production, measurement of, 78-79
 Cardiac failure, and sodium retention, 784-785
 Cardiac output, decreased, and/or increased oxygen consumption, in perioperative period, 280
 during anesthesia and operation, 242
 Cardiopulmonary bypass, effect on renal function, 390

- Cardiorespiratory patterns, significance of, 320-322
- Cardiorespiratory response(s), to fluid therapy, 348-353
- Cardiorespiratory values, of survivors and nonsurvivors of critical illnesses, 319-330
- Cardiorespiratory variables, description of, obtained by invasive monitoring, 311-314
- importance of, 322-333
- Cardiovascular complications, of acute spinal cord-injured patients, 624-625
- Cardiovascular derangements, following acute spinal cord injury, 685-686
- in spinal cord-injured patients, management of, 549-551
- Cardiovascular disease, concurrent, effect of, 256-260. See also specific types, e.g., *Congestive heart failure*.
- Cardiovascular effects, of anesthesia and operation, 251-268
- Cardiovascular function, calcium and, 751-752
- effect of acid-base disturbances on, 747-749
- hypophosphatemia and, 753
- in septic shock, 749-751
- Cardiovascular management, of spinal cord-injured patients, 482-483
- Cardiovascular system, effects of drugs administered during surgery on, 263-264
- effects of fluid losses and shifts on, 261
- effects of hypothermia on, 262-263
- effects of ischemia on, 263
- effects of release of substances into circulation on, 261-262
- effects of surgery on, 260-264
- Carnitine, effects of, on cardiac metabolism, 173
- Carotid artery(ies), injuries of, 662
- Catabolism, acute, in intensive care unit, 4-6
- Catecholamine blockade, in spinal cord resuscitation, 556
- Catecholamine(s), 871-882
- effects of, on fat metabolism, 28
- massive output of, in critical illness, studies of, 365-366
- pharmacology and physiology of, 871-875
- role of, in asthma, 875-876
- in congestive heart failure, 878
- in myocardial infarction and ischemia, 878
- in shock, hemorrhagic, 876-877
- septic, 877
- Catheter, central venous, placement of, 115-116
- insertion of, technical complications of, 119-122
- Catheterization, infraclavicular subclavian vein, technique of, 116-117
- intermittent, for traumatic neurogenic bladder patients, 603
- percutaneous central vein, pneumothorax as complication of, 121
- percutaneous internal jugular vein, technique of, 117-119
- Cauda Equina syndrome, 661
- Central cord syndrome, 488, 681
- functional expectations of, 646
- Cephalosporin(s), 884
- Cervical spine, human, biomechanical properties of, 456-457
- Cervical spine injury(ies), cranial nerve involvement with, 660-661
- Chance fracture, 571, 573
- Chest wall mechanics, changes in, 271-274
- Chronic obstructive pulmonary disease, nutrition and, 194-199
- Circulatory function, dimensions of, in shock, 316-319
- Cisplatin, 885-886
- Closed circuit spirometry method, for measuring metabolic rate, 75-76
- Congestive heart failure, effects of anesthesia and operation on patients with, 258-259
- cardiac index values, 328
- role of catecholamines in, 878
- Convalescence, phases of, 4
- Cooling, in experimental spinal cord injury, 459
- Cori cycle, 726, 730
- Coronary artery disease, effects of anesthesia and operation on patients with, 259-260
- Corticosteroid(s), effect on external potassium balance, 836, 838
- in spinal cord resuscitation, 554
- Cranial nerve involvement, with cervical spine injuries, 660-661
- Critical illness, effect of, on gastrointestinal tract, 134-135
- metabolic response to, 133-134
- Dantrolene sodium, for neurogenic bladder dysfunction, 606
- Decompression, anterior, for spine stabilization, 591
- posterolateral, laminectomy with, 592-593
- Decubitus ulceration, prevention of, following acute spinal cord injury, 562-563, 688
- Deep venous thrombosis, following acute spinal cord injury, 562
- Dehydration, in diabetic ketoacidosis, 825
- Dejerine onion skin pattern, 661

- Demerol, cardiovascular effects of, 255
- Diabetes insipidus, central, 802-803
 diagnosis of, 804-806
 etiology of, 802
 nephrogenic, 803-804
- Diabetes mellitus, hyponatremia in, 769-770
- "Diabetes of stress", definition of, 6, 11
- Diaphragm, ascent of, during perioperative period, 274-276
 dysfunction of, following surgery, 294
- Diazepam, cardiovascular effects of, 254
 effect of renal function, 387
- Digestive organ(s), physiology and pathophysiology of, in critical illness, 395-403
- Digitalis, effect on internal potassium balance, 836, 841
- Dilution coagulopathy, in surgical patients, 423-424
- Dimethyl sulfoxide (DMSO), in spinal cord resuscitation, 554
- Disseminated intravascular coagulation, in surgical patients, 423-425
- Diuretics, in management of sodium retention, 790
- Diuretic(s), in management of sodium retention, 788-789
 in spinal cord resuscitation, 555
 sodium balance and, effect on external potassium balance, 836-837
- Diving accidents, as cause of spinal cord injury, 474
- Dopamine, in sodium homeostasis, 783
- Droperidol, cardiovascular effects of, 254
- Dunn system, for spine stabilization, 593-594
- Edema, pulmonary. *See Pulmonary edema.*
 ultrafiltration in treatment of, 789-791
- Edema formation, as cause of inadequate tissue oxygenation during operation, 244
- Electromyography (EMG), in spinal cord-injured patients, 538-540
- Electrophysiologic evaluation, of acute spinal cord-injured patients, 519-548
- Emergency Medical Services Systems Act, components of, 475-476
 patient groups in, 476
- Endocrine changes, with critical illness, 855-869
- Endocrine disorder(s), hyponatremia in, 769
- Endocrine function, perioperative metabolism and, 288-289
- Energy, requirements of, following surgery, 241-248
- Energy expenditure, effect of food intake on, 92
 estimating, 82-84
 in intensive care unit patients, 64
 measurements and requirements of, 71-96
- Enflurane, cardiovascular effects of, 253
 effect on renal function, 387
- Ethylene glycol, 890
 and high anion gap metabolic acidoses, 713-714
- Extension injuries, mechanisms of, 505
- Extrinsic injuries, mechanisms of, 510-513
- F response, 542-543
- Failure to empty phase, in neurogenic bladder dysfunction, 605
- Failure to store, in bladder dysfunction, 607-608
- Fat, in total parenteral nutrition, 44-46
- Fat metabolism, acute trauma and, 26-29
 effect of, on liver, 38-39
 on terminal critically ill patients and multiple system organ failure, 43-44
 effects of catecholamines on, 28
 effects of early sepsis and low flow septic shock on, 29-31
 fat utilization in, 34-43
 in hypermetabolic state, 31-34
 in injury and stress, 25-55
 in shock, factors affecting, 28-29
 in stress, future treatments for, 46-49
 treatment implications for, 45
 in stressed states, 7-8
 schematic depiction of, 37
 steps in, 33-34
- Fat utilization, 34-43
- Fentanyl, effect on renal function, 388
- Fick method, for measurement of metabolic rate, 72-73
- Filtration fraction, definition of, 376-377
- Flexion injuries, mechanisms of, 505
- Fluid and electrolyte balance, in acute spinal cord-injured patients, 625
- Fluid and electrolyte disorders, in acute renal failure, 156
- Fluid loss, hypotonic, 806-807
- Fluid therapy, cardiorespiratory responses to, 348-353
- Fracture dislocations of C2-C3, 457
- Free fatty acid(s), effect of acute trauma on, 26-29
- Functional residual capacity, decreased, treatment of, 277-278
- Functional residual capacity-closing capacity relationship, changes in, 270-278

- Gas exchange method, for measuring metabolic rate, 73
- Glomerular filtration rate, in sodium homeostasis, 780-781
- measurement of, 376
- Glomerulonephritis, as cause of acute azotemia, 911
- Glucocorticoid(s), in stressful illnesses, 862-863
- Gluconeogenesis, in glucose production, 13-14
- control of, 14
- muscle amino acid release and, in critically ill patients, 18-19
- Glucose, plasma, regulation of, 12
- role of, in cardiac metabolism, 168-169
- utilization of, regulation of, 14-16
- Glucose clearance, peripheral, in burn injuries, 21-22
- Glucose metabolism, clinical implications of, 22-23
- normal control of, 17-18
- Glucose production, in carbohydrate metabolism, 12-14
- in critically injured patients, 18-22
- in sepsis, complications of, 20-21
- responsiveness of, to glucose and insulin, 19-20
- Glucose utilization, effects of cardiac work on, 170-171
- Glycogen metabolism, in glucose production, 12-13
- H reflex, 540-544
- Halo vest, in spine stabilization, 578
- Halothane, cardiovascular effects of, 252
- effect on renal function, 387
- Harrington rods, for spine stabilization, 584-586
- with interspinous wiring, for spine stabilization, 587-590
- with sublaminar wires, for spine stabilization, 587-588
- Head injury criterion (HIC), 459
- Heart, chronic nutritional changes affecting, 173-180
- diseases of, malnourishment in, signs of, 175-176
- modes of nutritional support for, 178-179
- nutrition for, 167-184
- nutritional requirements for, 177-178
- effects of systemic acidosis on, 747-749
- wasting of, undernutrition and, 174-175
- Hemolysis, causes of, and acute renal failure, 916
- Hemorrhage, circulatory function changes with, 318
- Hemostasis, mechanism of, 417-422
- Heparin, effect on external potassium balance, 836, 838-839
- Homeostasis, calcium, clinical physiology of, 928
- potassium, disorders of, 835-854
- clinical manifestations of, 845-848
- treatment of, 848-852
- effect of hypomagnesemia on, 843-844
- effect of renal insufficiency on, 844-845
- influence of acid-base balance on, 841-843
- influence of pharmacologic agents on, 835-841
- sodium, afferent limbs of, 779-780
- efferent limbs of, 780-784
- Hyperamylasemia, in diabetic ketoacidosis, 824
- Hypercapnia, mechanisms of, in perioperative period, 281-284
- Hyperextension injury(ies), 457-458
- Hyperflexion injury(ies), 458
- Hyperkalemia, clinical manifestations of, 846
- severe, treatment of, 849-850
- Hyperlactatemia, causes of, 730-737
- Hypermetabolic responses, activation of by anesthesia and operative injury, studies of, 363-366
- Hypermetabolic state, fat metabolism and, 31-34
- Hyperosmolality, clinical approach to, 797-815
- Hyperosmolar-hyperglycemic-nonketotic coma (HHNC), 811-813
- Hyperreflexia, autonomic and somatic, following acute spinal cord injury, 563
- Hypertension, effects of anesthesia and surgery on patients with, 257
- Hypertonic solutions, 808
- Hypertonicity, clinical significance of, 799
- differential diagnosis of, 799-802
- hyperosmolality associated with, 799-812
- hyperosmolality not associated with, 813
- Hypocalcemia, as result of trauma to neck, 931-932
- cardiovascular manifestations of, 932-933
- clinical manifestations of, 933
- electrophysiologic effects of, 933
- etiologies of, 928-931
- in critical illness, 927-935
- ionized, incidence of, 933-934
- neuromuscular manifestation of, 932
- treatment of, 934-935
- Hypokalemia, clinical manifestations of, 846-848
- profound, potassium repletion in, 850-852
- Hypomagnesemia, effect on potassium balance, 843-844
- etiologies of, 929

- Hyponatremia, 763-773
 causes of, 764
 clinical approach to, 771
 definition of, 763
 diabetes mellitus and, 769-770
 endocrine disorders and, 769
 in postoperative patients, 768
 in psychosis, 768-769
 liver failure and, 765-767
 myocardial failure and, 764-765
 renal failure and, 768
 respiratory failure and, 767
 syndrome of inappropriate antidiuretic hormone secretion and, 770-771
 treatment of, 771-773
- Hypophosphatemia, and cardiovascular function, 753
 in critical illness, 935-937
 severe, clinical consequences of, 936-937
 treatment of, 937
- Hypotension, in spinal cord-injured patients, 549-550
 induced, effect on renal function, 389-390
- Hypothalamopituitary axis, 360-361
- Hypothermia, during anesthesia and operation, 243
 effects on cardiovascular system, 262-263
- Hypothermia, local profound, in spinal cord resuscitation, 554-555
- Hypoventilation, in perioperative period, 278-279, 282
- Hypoxemia, mechanisms of, in perioperative period, 269-281
- Hypoxia, mechanisms of, 270
- Imipramine, for failure to store urologic dysfunction, 608
- Immune system, features of, 405-408
- Immunocompetence, decreased, relationship of to stress, 367-369
- Impotence, in spinal cord-injured patients, surgical correction for, 615-616
- Incontinence, resulting from neurogenic bladder dysfunction, problems of, 607-608
 surgical therapy for, 609-611
- Infection, effects of, on protein metabolism, 59-61
- Insulin, effect on internal potassium balance, 836, 839
 role of, in carbohydrate metabolism, 16-17
- Intensive care unit, acute catabolism in, 4-6
 estimate of energy expenditure in, 64
 estimate of nitrogen excretion in, 64-65
 nutrition in, 1-10
 history of, 1-2
 nutritional objectives in, 8
- nutritional responses of patients in, 8-10
 use of body weight in, 3-4
- Interspinous wiring, Harrington rods with, for spine stabilization, 587-590
- Intestine(s), physiology and pathophysiology of, in critical illness, 400-402
- Intoxication, salicylate, and high anion gap metabolic acidoses, 711-713
- Intravenous agents, cardiovascular effects of, 253-256
- Intrinsic cord injuries, mechanisms of, 507-510
- Ionic blockade, in spinal cord resuscitation, 556-557
- Ischemia, and altered preload/afterload, effects on cardiovascular system, 263
 effects of, on myocardium, 171-172
 myocardial infarction and, role of catecholamines in, 878
- Isoflurane, cardiovascular effects of, 253
 effect on renal function, 387
- Jefferson fracture, 506-508
- Kallikrein-kinin, in sodium homeostasis, 783-784
- Ketamine, cardiovascular effects of, 255-256
 effect on renal function, 387
- Ketoacidosis, diabetic, 817-834
 diagnosis of, 822-824
 electrolyte disturbances in, 824-825
 epidemiology of, 817-818
 morbidity and mortality in, 830-832
 pathogenesis of, 818-822
 precipitating factors of, 825
 treatment of, 825-830
 high anion gap metabolic acidoses and, 710-711
- Kidney(s), and water metabolism, 759
 autoregulation of, 378-379
 failure of. See also *Renal failure*.
 dietary formulas for, 142-143
 function of, effect of anesthesia and operation on, 373-393
 effect of anesthetic agents and techniques on, 385-389
 neurohormonal regulation of, 379-385
- L4 Paraplegia, 645
- Laminectomy, for spine stabilization, 581-582
 with posterolateral decompression, 592-593
- Late responses, in spinal cord-injured patients, 540-544

- Lateral hyperflexion injuries, mechanisms of, 506
- Liver, cirrhosis of, advanced, cardiac index values of, 329-330
and sodium retention, 785-787
effect of fat metabolism on, 38-39
failure of, dietary formulas for, 142
hyponatremia in, 765-767
physiology and pathophysiology of, in critical illness, 395-398
- Lumbar fracture(s), 459
- Lung function, abnormal postoperative, clinical implications of, 300-302
intraoperative changes in, 289-290
postoperative changes in, 290-298
postoperative loss of, diagram, 299
- Lung volume(s), changes in, following surgery, 290-293
- Lung(s), defense mechanism of, 296-297
physiology of, in postoperative period, 287-306
- Luque rods, with sublaminar wires, for spine stabilization, 584, 587
- Lymphocyte subpopulations, functions of, 409-410
- M response, 542-543
- Magnesium deficiency, effect on potassium balance, 843-844
- Magnetic resonance imaging, in evaluation of spinal trauma, 502, 504
- Malnutrition, composite index of, 102
concepts of, 2-3
effects of, on protein metabolism, 61-63
immunocompetence and, 102
- Mannitol, effects on cardiovascular system, 264
- Metabolic disturbance(s), associated with renal failure, issue on, 699-941. See also specific types, e.g., *Acidosis, metabolic*.
- Metabolic rate, factors influencing, 87-92
influence of pharmacologic interventions on, 89-90
measurement of, 71-75
interpretation of data in, 84-87
methods of, 75-76
problems with, 80-81
theoretical considerations in, 73-75
- Metabolism, carbohydrate. See *Carbohydrate metabolism*.
- cellular, inadequate, during surgery, 246-247
changes in, during and following operation, 241-250
fat. See *Fat metabolism*.
lactate, 725-746. See also *Acidosis(es), lactic*.
- perioperative, and endocrine function, 288-289
protein. See *Protein metabolism*.
sodium. See *Sodium metabolism*.
water. See *Water metabolism*.
- Methanol, and high anion gap metabolic acidoses, 714-715
- Methotrexate, 885
- Micturition, neuroanatomy of, 599-602
neurophysiology of, 605-607
- Midazolam, cardiovascular effects of, 254
- Mineralocorticoid(s), effect on internal potassium balance, 836, 841
- Monitoring, of critically ill patients, 310-314
- Motor evoked potentials, in spinal cord-injured patients, 537-538
- Motor vehicle accidents, as cause of spinal cord injury, 473
- Multiple organ failure, nutritional failure precipitation, 434-436
pathophysiologic events leading to, 430-432
postoperative, 429-440
postoperative prevention of, 437-439
- Muscle amino acid, release of, and gluconeogenesis, in critically ill patients, 18-19
- Myelography, computerized, in evaluation of spinal trauma, 502-503
in evaluation of spinal trauma, 501-502
- Myocardial depressant factor, in septic shock, 751
- Myocardial depression, in spinal cord-injured patients, 550
- Myocardial failure, effects on renal hemodynamics, 764-765
- Myocardial infarction, and ischemia, role of catecholamines in, 878
- Myocardium, carbohydrate utilization for, 168-169
carnitine for, 173
effects of glucose-insulin-potassium infusions on, 172
effects of ischemia and hypoxia on, 171-172
lactate utilization for, 170
lipid utilization for, 169-170
metabolism of, biochemistry of, 168-173
preservation of, function of, substrate loading for, 173
- Naloxone, effect on experimental spinal cord injury, 447
in spinal cord resuscitation, 553-554
in treatment of shock, results of, 366
- Narcotic(s), cardiovascular effects of, 254-255
effect on renal function, 388
effect on respiratory drive, 295

- Nephritis, interstitial, as cause of acute azotemia, 911
- Nephropathy(ies), toxic, 883-907
- Nephrotic syndrome, and sodium retention, 787-788
- Nerve conduction studies, in spinal cord-injured patients, 540
- Neurogenic bladder, clinical evaluation of, 604-605
- Neurogenic bladder dysfunction, acute management of, 602-603
 - autonomic dysreflexia in, 612
 - classification of, 601-602
 - failure to empty phase in, 605
 - failure to store phase in, 607-608
 - following acute spinal cord injury, 687
 - intermittent catheterization in, 603
 - pharmacologic agents for, 606-607
 - reflex in, 611
 - treatment of in recovery phase, 604-605
 - urinary diversion in, 611-612
- Neurologic disease(s), critical, intolerance of, to enteral feedings, 223
 - nutrition and, 217-233
 - nutritional monitoring in, 226-228
 - substrate administration for, 224-226
- Neurologic examination, in acute spinal cord-injured patients, 658-662
- Neurologic levels, and functional expectations, of acute spinal cord-injured patients, 638-645
- Nitrogen excretion, in intensive care unit patients, 64-65
- Nitrous oxide, cardiovascular effects of, 253
- Non-B, non-T-lymphoid cells, features of, 408-409
- Nonsteroidal anti-inflammatory drugs (NSAIDs), 897-899
 - effect on external potassium balance, 836, 838
- Non-T, non-B-lymphoid cells, following surgical trauma, 413
- Nursing diagnoses, in acute spinal cord injury, 679-691
- Nutrients, and respiration, 190-194
 - response of stressed patients to, 63-64
- Nutrition, acute renal failure and, 196-199
 - and ventilatory demand, 190-191
 - chronic obstructive pulmonary disease and, 194-199
 - enteral, complications of, 147-149
 - contraindications to, 137
 - delivery methods, 144-145
 - dietary formulas for, 138-144
 - in acute renal failure, practical aspects of, 162-164
 - in critically ill patients, 133-153
 - indications for, 136-137
 - monitoring protocol for, 145-147
 - rationale for, 135-136
 - route of access for, 137-138
 - enteral versus parenteral, 103-104
 - following acute spinal cord injury, 561-562, 658-689
 - for cardiac diseases, 167-184
 - in acute renal failure, 155-166
 - in intensive care patients, 1-10
 - lack of, and postoperative multiple organ failure, 434-436
 - objectives regarding, in intensive care unit, 8
 - total parenteral, acid-base balance in, 126-127
 - clinical problems in, 127-128
 - effect of, on respiration, 192-193
 - electrolyte homeostasis in, 125-126
 - energy requirements for, 122-124
 - fat in, 44-46
 - history of, 1-2
 - infectious complications of, 128-129
 - metabolic monitoring of, 122-125
 - practical aspects and complications of, 115-131
 - protein requirements for, 124
 - water homeostasis in, 124-125
- Nutritional assessment, anthropometric measurement in, 99-101
 - plasma protein measurements in, 101
 - role of history and physical examination in, 99
 - skeletal muscle function in, 103
 - somatic indices in, 101-102
- Nutritional response, in intensive care patients, 8-10
- Nutritional state, effect of, on pulmonary parenchyma, 188-190
- Nutritional support, electrolysis in, 106-107
 - for critical neurological diseases, 217-233
 - for critically ill patients with respiratory failure, 185-202
 - for critically ill surgical patients, 205-216
 - goal of, 206-207
 - problems and complications resulting from, 209-213
 - requirements of, 207-209
 - timing of, 206
 - for spinal cord injuries, 228-230
 - for stroke patients, 230
 - in critically ill patients, 97-114
 - issue on, 1-233
 - macronutrients in, 104-106
 - micronutrients in, 107-110
- Nutritional therapy, goals and amounts of, 65-67
- Occupational therapy, in acute stage of quadriplegia, 650-651
- Open circuit flow-through technique, for measuring metabolic rate, 76-77

- Open circuit technique, for measuring metabolic rate, 76
- Operation(s), anesthesia and. See *Anesthesia, and operation.*
- emergency, altered energy transport in, 247
- energy requirements following, 241-248
- hemodynamic and metabolic changes during and following, 241-250
- Opioids, endogenous, as mediators of altered perioperative physiology, 361-362
- role of, in perioperative function, study of, 366
- Oxygen consumption, effect of intraoperative catastrophes on, 247-248
- increased, and/or decreased cardiac output, in perioperative period, 280
- intraoperative, 243
- measurement of, 78-79
- patterns of, in survivors and nonsurvivors, 433-435
- Oxygen transport, changes in, during anesthesia and operation, 242-245
- impaired, reasons for, 243-244
- patterns of, following surgery, 432-434
- in shock, 314-315
- of survivors and nonsurvivors, 319-330
- postoperative, 244-245
- problems of, 269-270
- tissue perfusion and, 315-316
- Oxygen transport variables, importance of, 332-333
- Oxygenation, hyperbaric, in spinal cord resuscitation, 555-556
- Pancreas, physiology and pathophysiology of, in critical illness, 398-399
- Pancreatitis, following cardiopulmonary bypass surgery, 398-399
- Para-amino hippurate (PAH) clearance, 373-374
- Paraldehyde, and high anion gap metabolic acidoses, 715
- Parenchyma, pulmonary, effects of nutritional state on, 188-190
- Penetrating wound(s), by handguns, as cause of spinal cord injury, 474-475
- Penicillin, effect on external potassium balance, 836, 838
- Peritubular physical factors, in sodium homeostasis, 781
- Pharmacologic agent(s), effect on potassium homeostasis, 835-841
- Phosphate depletion, etiologies of, 935-937
- Phosphate metabolism, in critical illness, 935-937
- Physical therapy, in acute stage of quadriplegia, 647-650
- Physiology, perioperative, altered, mediators of, 359-371
- Pigment injury(ies), as cause of acute azotemia, 915-916
- Plasma glucose, regulation of, 12
- Platelet aggregation, pathways leading to, 419-420
- Pneumonia, in postoperative period, physiologic effects of, 299-300
- Pneumothorax, as complication of percutaneous central vein catheterization, 121
- Poikilothermia, following acute spinal cord injury, 562
- Posterior cord syndrome, 488, 681
- functional expectations of, 646
- Posterior fusions, for spine stabilization, 582-584
- Potassium, effect on external potassium balance, 835-836
- Potassium balance, external, pharmacologic agents affecting, 835-839
- internal, pharmacologic agents affecting, 836, 839-841
- Potassium homeostasis, disorders of, 835-854. See also *Homeostasis, potassium.*
- Propantheline bromide, for failure to store urologic dysfunction, 608
- Propranolol, during perioperative period, 260
- Prostaglandins, as mediators of altered perioperative physiology, 363
- in sodium homeostasis, 783
- Protamine, effects on cardiovascular system, 264
- Protein metabolism, and requirements, 57-69
- effects of injury and infection on, 59-61
- effects of malnutrition on, 61-63
- in acute renal failure, 156-158
- normal, 57-59
- Protein synthesis, requirements of, 58
- Protein(s), plasma, in acute renal failure, 158
- thyroid binding, effects of critical illness on, 859
- Psychoneuroimmunology, 367-369
- Psychosis, hyponatremia in, 768-769
- Pulmonary edema, in acute spinal cord-injured patients, 549-550, 623-624
- in perioperative period, 267-277
- postoperative, physiologic effects of, 298-299
- Pulmonary embolism, effects of hypoxemia and hypercapnia on, 284
- in acute spinal cord-injured patients, 623
- Pulmonary physiology, in postoperative period, 287-306
- Pulmonary vasoconstriction, hypoxic, inhibition of, in perioperative period, 281

- Quadruplegia, acute stage of, occupational therapy in, 650-651
physical therapy in, 647-650
physical problems of, 637-638
- Radiologic evaluation, of acute spinal trauma, 495-518
methods of, 496-504
- Rehabilitation, in spinal cord injury, 637-654
functional outcomes of, 638-645
program of, 652-654
role of occupational therapist in, 650-651
role of physical therapist in, 647-650
role of social workers in, 652
- Renal dialysis, effects of, on metabolic rate, 90
- Renal failure, acute. See *Acute renal failure*. and associated metabolic disturbances, issue on, 699-941
chronic, effect on potassium balance, 844-845
high anion gap metabolic acidoses and, 705-706
hyponatremia in, 768
pigment-induced, 891-892
- Renal function. See *Kidney(s)*, *function of*.
- Renal function tests, 373-378
- Renal insufficiency, effect on potassium balance, 844-845
- Renal sympathetic nerve, in sodium homeostasis, 782-783
- Renal vascular resistance, definition of, 377
- Renin-angiotensin-aldosterone axis, increased activity of, in critical illness, 863-864
- Respiration, effect of amino acids on, 191
effect of carbohydrates on, 191
effect of lipids on, 191-192
effect of total parenteral nutrition on, 192-193
nutrients and, 190-194
starvation and, 185-188
- Respiratory complications, in acute spinal cord-injured patients, 620-624, 683-685
- Respiratory defense mechanism(s), in postoperative period, 296-297
- Respiratory failure, dietary formulas for, 143-144
hyponatremia in, 767
nutritional support for critically ill patients with, 185-202
- Respiratory management, of spinal cord-injured patients, 481-482
- Respiratory muscle function, electrolyte disturbances and, 193-194
- Respiratory muscle(s), effects of starvation on, 186-188
- Respiratory support, in spinal cord-injured patients, chronic ventilator dependence, 560-561
early management, 557-558
intubation in, 558
ventilator support, 560
weaning from, 560
- Rhabdomyolysis, and acute azotemia, 915-916
- Right-to-left shunt circulation(s), nonalveolar, 281
- Roger's fusion, for spine stabilization, 582-583
- Salicylate intoxication, and high anion gap metabolic acidoses, 711-713
- Salt excretion, systems promoting, 383-384
- Salt retention, systems promoting, 380-383
- Self-image, altered, following acute spinal cord injury, 689-690
- Sepsis, cardiac index values in, 329
circulatory function changes with, 319
early, and fat metabolism, 29-31
glucose production in, complications of, 20-21
metabolic abnormalities induced by, 98
role of, in postoperative multiple organ failure, 436-437
- Septic shock, cardiovascular function in, 749-751
- Sexual dysfunction, in spinal cord-injured patients, 612-616
- Sexual function, in spinal cord-injured patients, neurophysiology of, 612-615
- Shock, 307-358
as cause of multiple organ failure, during anesthesia and surgery, 430-432
clinical evaluation of blood volume status in, 334-336
clinical recognition of, 309-310
critical illness and, 307-310
demodynamic and oxygen transport patterns in, 314-315
dimensions of circulatory function in, 316-319
fat metabolism in, factors affecting, 28-29
hemorrhagic, role of catecholamines in, 876-877
management of, 308-310
monitoring in, 310-314
outcome prediction in, 337-344
as measure of severity of illness, 337-338
definition of survivors' values in, 337
empirical approach to, 339-342
evaluation of, 344

- formulation of, 343-344
- physiologic compensatory responses in, 338-339
- role of oxygen consumption as controlling mechanism in, 342-343
- pathophysiology of, 314-337
- septic, role of catecholamines in, 877
- therapeutic goals for monitoring, 332-334
- therapy for, 344-353
- traditional etiologic approach to, 307-308
- Smoking, cessation of, and surgery, 301
- Social services, role of, in rehabilitation of spinal cord-injured patients, 652-654
- Sodium metabolism, disordered, 779-795
- volume homeostasis in, 779-784
- Sodium retention, cardiac failure and, 784-785
- cirrhosis of the liver and, 785-787
- nephrotic syndrome and, 787-788
- Solute gain, hypertonic, 807-811
- Somatosensory evoked potentials, in spinal cord-injured patients, 520-537
- basic principles, 520-523
- classification of, 520
- clinical applications, 524-537
- techniques and equipment, 523-524
- Sphincter detrusor dyssynergia, syndrome of, 607
- Spinal cord, anatomical and vascular considerations of, 442-445
- lesions of, categorization of, 658-660
- neuroanatomy of, 657
- Spinal cord and nerve injuries, mechanisms of, 507
- Spinal cord injury(ies), accident scene management of, 481-486
- acute, anesthesia for patients with, induction and maintenance of, 628-631
- anesthetic considerations in patients with, 619-635
- anesthetic management of patients with, airway management during, 627-628
- monitoring during, 626-627
- animal models of, 459-467
- attendant injuries, 561
- autonomic and somatic hyperreflexia following, 563
- biomechanics of, 453-470
- cardiovascular complications of, 624-625
- classification of, 662-665
- critical care management of, 549-567
- decubitus ulceration following, prevention of, 562-563
- deep venous thrombosis following, 562
- electrophysiologic evaluation of, 519-548
- emotional rehabilitation following, 561
- epidemiology of, 441-445
- frequency and distribution of, 453-454
- initial evaluation of, 569-571
- issue on, 441-691
- management of, 665-666
- mechanisms of, 504-512
- metabolic consequences of, 625
- neurologic examination following, 658-662
- neurologic levels and functional expectations of patients with, 638-645
- nursing considerations in, 679-691
- nutrition following, 561-562
- pathophysiology of, 551-552, 656-657
- physiopathology and experimental therapy for, 445-452
- poikilothermia following, 562
- postanesthetic considerations in patients with, 631-632
- preanesthetic evaluation of patients with, 626
- radiographic studies in, 571-572
- radiologic evaluation of, 495-518
- general methods for, 512-516
- respiratory complications of, 620-624
- respiratory support following, 557-567
- sexual dysfunction in, 612-616
- stability of spine in, determination of, 571-577
- stabilization procedures for, 569-597
- steroids in treatment of, 580
- surgical intervention in, intraoperative considerations, 579-580
- timing of, 579
- surgical stabilization of, principles of, 578-579
- urologic management of patients with, 599-617
- emergency room management of, 486-492
- management of, a systems approach to, 471-493
- nutritional support for, 228-230
- prehospital management of, 475-486
- prevention programs for, 472-475
- rehabilitation in, 637-654
- Spinal cord resuscitation, 551-557
- catecholamine blockade in, 556
- corticosteroids in, 554
- decompression and irrigation in, 556
- dimethyl sulfoxide in, 554
- diuretics in, 555
- hemodynamic support in, 552-553
- hyperbaric oxygenation in, 555-556
- ionic blockade in, 556-557
- local profound hypothermia in, 554-555
- mechanical stabilization in, 555
- naloxone and TRH in, 553-554
- Spinal cord syndromes, 661, 681
- functional expectations of, 646-647
- Spinal cord unit, anatomy of, 443-444
- Spinal shock, 660-661

- Spinal vascular unit, anatomy of, 444-445
- Spine, stability of, in spinal cord-injured patients, 571-577
- stabilization of, in acute spinal cord injuries, procedures for, 580-595
 - initial, in spinal cord-injured patients, 577-578
 - principles of, in spine injuries, 578-579
- Spine fusion, anterior, for spine stabilization, 590
- Splinting, of spinal cord-injured patients, 483-484
- Sporting accidents, as cause of spinal cord injury, 474
- Stabilization procedure(s), in acute spinal cord-injured patients, 569-597
- Starling equation, 276
- Starvation, and respiration, 185-188
- effects of, on respiratory muscles, 186-188
 - metabolic abnormalities induced by, 97-98
- Steroids, in treatment of acute spinal cord-injured patients, 580
- Stomach, physiology and pathophysiology of, in critical illness, 399-400
- Stress, dietary formulas for, 143
- fat metabolism in, 25-55
 - and treatment implications, 45
 - nutrients and, 63-64
 - psychologic, relationship to decreased immunocompetence, 368
 - therapeutic implications of protein and albumin metabolism in, 348
- Stroke, nutritional support for, 230
- Sublaminar wires, Harrington rods with, for spine stabilization, 587-588
- luque rods with, for spine stabilization, 584, 587
- Suprapubic cystocath, for traumatic neurogenic bladder patients, 603
- Surgical trauma, immune response following, 409-415
- Sympathoadrenal axis, 361
- Syndrome of inappropriate antidiuretic hormone secretion (SIADH), hyponatremia in, 770-771
- T1 Paraplegia, 643-644
- T6 Paraplegia, 644-645
- T12 Paraplegia, 645
- T-cell subsets, features of, 407
- Temperature control, in acute spinal cord-injured patients, 625
- Temperature regulation, impaired, following acute spinal cord injury, 687
- Tetracycline(s), 884
- Therapy. See specific types, e.g., *Physical therapy*, *Occupational therapy*.
- Thiopental, effect on renal function, 387
- Thirst, and disordered water metabolism, 763
- Thoracic anterior spinal artery syndrome, 661
- Thromboembolism, pulmonary, postoperative, physiologic effects of, 300
- Thyroid, changes in, with critical illness, 855-862
- normal, physiology of, 855-856
- Thyroid binding protein(s), effect of critical illness on, 859
- Thyroid function test(s), patterns of, 858
- Thyroid hormone metabolism, in critical illness, 856-859
- Thyrotropin-releasing hormone (TRH), effect on experimental spinal cord injury, 447
- in spinal cord resuscitation, 554
- Thyroxine, levels of, in critical illness, 859-862
- Tissue perfusion, oxygen transport and, 315-316
- T-lymphocytes, features of, 406-407
- Tomography, computerized, in evaluation of spinal trauma, 500-501
- plain film, in evaluation of spinal trauma, 498-499
- Tranquilizer(s), cardiovascular effects of, 254
- Trauma, acute, and fat metabolism, 26-29
- circulatory changes with, 319
 - head, and changes in metabolic rate, 89
 - surgical. See *Surgical trauma*.
 - to neck, and hypocalcemia, 931-932
- Trauma center(s), categorization of, 478-480
- Trauma patients, severely stressed, cardiac index values of, 329
- TRH. See *Thyrotropin-releasing hormone*.
- Tubular conserving function, tests of, 377-378
- Tumor lysis syndrome, 889-890
- Ultrafiltration, for treatment of edematous conditions, 789-791
- Ultrasonography, in evaluation of spinal trauma, 502
- Undernutrition, and cardiac wasting, 174-175
- Urinary diversion, in neurogenic bladder dysfunction, 611-612
- Urology, role of, in acute spinal cord-injured patients, 599-617
- Vascular system, peripheral, effect of systemic acidosis on, 749
- Vasoconstriction, systems promoting, 380-383

- Vasodilation, systems promoting, 383-384
- Vasopressin release, 760-763
 - nonosmotic stimuli for, 760-762
 - osmotic and nonosmotic stimuli for, interaction between, 762-763
 - osmotic control of, 760
- Ventilation, control of, in postoperative period, 295-296
 - dead-space, increase in, in perioperative period, 282-283
 - mechanical, effect of, on metabolic rate, 90-91
 - gas exchange measurements during, 77-78
 - positive pressure, effect on renal function, 388-389
- Ventilator dependence, weaning from, following acute spinal cord injury, 684-685
 - ventilator support, in spinal cord-injured patients, 560-561
- Ventilatory muscle dysfunction, following surgery, 293-295
- Vertebral artery(ies), injuries of, 662
- Vertebral unit, of spinal cord, anatomy of, 452-453
- Vitamin(s), for nutritional support, 108-110
- Water loss, pure, and hypertonicity, 799-802
- Water metabolism, disordered, 759-777
 - and hyponatremia, 763-773
 - thirst in, 763
 - vasopressin secretion in, 760-763
 - renal, 759
- Weight, body, use of, in intensive care unit, 3-4